

BLP "Mainline" Lowering-in Belts



Model # BLL – Bishop Lifting Lowering-in Belts

- Experienced, leading belt manufacturer for over 15 years
- Heavy duty nylon webbing for durability and strength
- Alloy steel end irons for greater strength with less weight
- Web coated with heavy duty Yellow Jacket[™] Coating
- Orange vinyl tag with clear protective cover to protect data
- End irons painted
- Custom belts available for pipe diameters not listed
- Belts used around the world, in all types of climates, in sizes up to 60" diameter pipe
- Head iron not included as pictured
- Lowering-in belt and head iron sold separately

Part#	Max Pipe Diameter		Belt Width		Belt Length		Approximate Weight		Rated Capacity	
	in	mm	in	mm	ftin	m	Lbs.	Kg	Lbs.	Kg
BLL-0212	12"	305	12"	305	4'- 9"	1.45	32	14.5	48,000	21,772
BLL-0418	18"	457	18"	457	7'- 0"	2.13	52	23.6	73,000	33,112
BLL-0420	20"	508	18"	457	7'- 6"	2.29	55	24.9	73,000	33,112
BLL-0524	24"	610	24"	610	8'- 6"	2.59	81	36.7	97,000	43,998
BLL-0630	30"	762	30"	762	10' - 0"	3.05	90	40.8	122,000	55,338
BLL-0736	36"	914	36"	914	11' – 6"	3.51	120	54.4	146,000	66,224
BLL-0742	42"	1067	36"	914	13' – 6"	4.11	135	61.2	146,000	66,224
BLL-0748	48"	1219	36"	914	15' – 0"	4.57	155	70.3	146,000	66,224
BLL-0842	42"	1067	42"	1067	13' – 6"	4.11	150	68.0	171,000	77,564
BLL-0848	48"	1219	42"	1067	15' – 0"	4.57	170	77.1	171,000	77,564
BLL-0948	48"	1219	48"	1219	15' – 0"	4.57	200	90.7	195,000	88,450
BLL-0956	56"	1422	48"	1219	17' – 0"	5.18	222	100.0	195,000	88,450
BLL-1156	56"	1422	56"	1422	17' – 0"	5.18	250	113.0	228,000	103,418
BLL-1160	60"	1524	56"	1422	18' – 0"	5.49	270	122.0	228,000	103,418

- 5 to 1 design factor standard
- 7 to 1 design factors available upon request
- Pipe sizes and lengths not listed available on special request

Designed to meet or exceed: ASME B30.9 Slings AWS D14.1 Welding Procedures

www.Lifting.com Slings 41